

API Documentation

Phone List Leads



Version 1.3

The Phone list leads are the individual leads in each phone list.
A lead with the same phone number can appear only once in a phone list.

Lead Parameters:

Parameter name	Type	Required	Description
phone	string	required	Phone number
name	string	optional	Lead name (optional)
lead_id	string	optional	Lead ID (optional)
priority	int	optional	Lead priority (larger number first) (optional, default:0)
tags	string	optional	Tags (will be added to call) (optional)
ext_api_vars	json object	optional	Custom variables (could be used in conditional routes and API)

Manage Leads (phone numbers) Methods

/api/phone_list/{id}/lead	GET	Get all leads {phone, lead_id, priority, name, tags, ext_api_vars}
/api/phone_list/{id}/lead	POST	Add lead. Object or Array of objects [{phone, name, lead_id, priority, tags, ext_api_vars}...]
/api/phone_list/{id}/lead/{phone }	PUT	Update single lead
/api/phone_list/{id}/lead/{phone }	DELETE	Delete single lead
/api/phone_list/{id}/lead	DELETE	Delete multiple leads JSON Array of phone numbers in BODY ["1234567"...]

Example

```
GET
https://{your_URL}/api/phone_list/XXX/?api_key={key}
```

JSON Response

```
{
  "Success": true,
  "data": [
    {
      "id": "972xxxxxxx",
      "phone": "972xxxxxxx",
      "lead_id": "3",
      "priority": 1,
    }
  ]
}
```

```
    "name": "ABC office",
    "tags": null,
    "ext_api_vars": { }
  },
  {
    "id": "191YYYYYYYY",
    "phone": "191YYYYYYYY",
    "lead_id": "2",
    "priority": 1,
    "name": "Mike US",
    "tags": null,
    "ext_api_vars": { }
  },
  {
    "id": "97254XYXYXYX",
    "phone": "97254XYXYXYX",
    "lead_id": "04",
    "priority": 1,
    "name": "Mike Cell",
    "tags": null,
    "ext_api_vars": null
  }
]
}
```